

Modern LED Wall Step Light Indoor & Outdoor Footlight

Seven-model die-cast aluminum wall light with concealed downward illumination for stairs, paths, walls, and entrances

Enhance interior and exterior spaces with this modern LED wall footlight. Its hidden-light design directs illumination downward, creating a soft visual guide for stairs, hallways, pathways, garden walls, and entrances without exposing the light source directly.

A durable die-cast aluminum body, IP65 weather protection, and wide AC 90-260V input support residential, hospitality, and commercial projects. Seven supplied model forms include square, round, and rectangular options in 3W and 6W configurations shown in the model graphics.



7 Models - 3W / 6W - Black - IP65

HIDDEN LIGHT

IP65 OUTDOOR

WALL MOUNTED

KEY PRODUCT DATA



MATERIAL

DIE-CAST ALUMINUM

Durable metal body



POWER

3W / 6W

Model-dependent



MODEL RANGE

7 OPTIONS

Round / square / rectangular



LIGHT DIRECTION

DOWNWARD

Concealed light opening



INPUT VOLTAGE

AC 90-260V

Wide-voltage supply



WEATHER RATING

IP65

Indoor and outdoor

AVAILABLE CONFIGURATIONS

LIGHT COLOR

Warm White / Cold White

INSTALLATION

Wall mounted

FINISH

Black

APPLICATION

Indoor / Outdoor

PRODUCT INFORMATION

Technical Specification

PRODUCT SPECIFICATIONS	
Feature	Details
Product Type	Modern LED wall step light / footlight
Model Range	Seven supplied model options
Material	Die-cast aluminum body
Light Source	Integrated LED
Power	3W / 6W shown; confirm selected model
Input Voltage	AC 90-260V
Light Colors	Warm White / Cold White
Lighting Direction	Concealed downward illumination
Installation Type	Wall mounted
Weather Rating	IP65 outdoor suitable
Finish / Style	Black / modern / minimalist
Applications	Stairs, hallways, paths, gardens, walls, entrances

PRODUCT NOTES

- Seven-model family: The supplied images identify square, round, and rectangular variants. Model 1 is specified as a 3W square option.
- Dimensions: Models 2, 3, 5, 6, and 7 include dimensional graphics. Model 4 shows 200 x 91 x 35 mm; its wattage is not labeled in the supplied image.
- Outdoor installation: IP65 and AC 90-260V are stated in the supplied specifications. Seal cable entries and complete wiring through a qualified installer using local requirements.

7 MODEL OPTIONS



MODEL 1

3W square;



MODEL 2

Round 3W
117 x 33 mm



MODEL 3

Round 6W
150 x 32 mm



MODEL 4

Rectangular
200 x 91 x 35
mm



MODEL 5

Rectangular
3W
100 x 60 x 28



MODEL 6

Rectangular
3W
170 x 81 x 28
mm



MODEL 7

Square 6W
150 x 150 x 32
mm

Confirm the exact model, wattage, dimensions, and CCT before ordering.

INDOOR AND OUTDOOR ARCHITECTURAL FOOTLIGHTING

Design and Installation



RECOMMENDED INSTALLATION SEQUENCE

1

Isolate the supply and confirm the selected model, AC 90-260V rating, wall location, and required weather protection.

2


Secure the mounting plate or back structure to a stable wall and route the conductors into the fixture location.

3

Complete line, neutral, and ground connections according to delivered markings and local electrical requirements.

4

Fasten the lamp body, restore power, and verify the downward light pattern, finish alignment, and weather sealing.



DESIGN GUIDANCE

- **Direction:** The concealed opening throws light downward to reduce direct glare and define steps or walking surfaces.
- **Spacing:** Maintain consistent intervals based on stair geometry, surface reflectance, and ambient light.
- **CCT:** Select Warm White for softer hospitality and residential settings; use Cold White where crisper guidance is preferred.
- **Weather:** For exterior locations, maintain the IP65 seal and protect cable entries from water ingress.
- **Model selection:** Coordinate the selected one of seven forms with wall dimensions, mounting height, power, and coverage.


Installation must be completed by a qualified person. Confirm the delivered model, voltage, dimensions, mounting hardware, and local requirements before installation.

PROJECT SELECTION GUIDE

Specification and Selection

PRODUCT DESCRIPTION

The Modern LED Wall Step Light family combines concealed downward illumination with a durable die-cast aluminum body and a clean architectural profile. Seven supplied model forms cover square, round, and rectangular layouts for stairs, corridors, pathways, entrances, gardens, hotels, and commercial spaces. The fixtures are specified for AC 90-260V operation, Warm White or Cold White output, and IP65 indoor/outdoor use. Select the exact model, power, and dimensions required by the project before final ordering and wall preparation.



PROJECT SELECTION GUIDE

PRODUCT	Modern LED Wall Step Light - Indoor & Outdoor Footlight
MODEL FAMILY	7 supplied model options
MATERIAL	Die-cast aluminum
LIGHT SOURCE	Integrated LED
POWER	3W / 6W shown; confirm selected model
VOLTAGE	AC 90-260V
LIGHT COLORS	Warm White / Cold White
DIRECTION	Concealed downward illumination
INSTALLATION	Wall mounted
WEATHER / FINISH	IP65 / Black / modern minimalist
MODEL 1	3W square; dimensions not supplied
MODEL 2	Round 3W - dia. 117 x 33 mm (4.61 x 1.30 in)
MODEL 3	Round 6W - dia. 150 x 32 mm (5.91 x 1.26 in)
MODEL 4	Rectangular - 200 x 91 x 35 mm (7.87 x 3.58 x 1.38 in); power not shown
MODEL 5	Rectangular 3W - 100 x 60 x 28 mm (3.94 x 2.36 x 1.10 in)
MODEL 6	Rectangular 3W - 170 x 81 x 28 mm (6.69 x 3.19 x 1.10 in)
MODEL 7	Square 6W - 150 x 150 x 32 mm (5.91 x 5.91 x 1.26 in); 3000K shown
APPLICATION	Stairs / hallways / paths / gardens / walls / entrances / hotels / commercial

Confirm exact model power, dimensions, CCT, supplied hardware, and wall conditions before ordering or preparing the installation location.